






1-1








1-4







K	
ARTIKEL NR./	ARTICLE NO.
EB14778	
MARKSTROM	CURRENT RATING
125	A
SPÄNNING	VOLTAGE
230	V
MEASURING EQUIPMENT	
CURR. TRAF. SPACE	ENERGY-METER SPACE
FAST ANSLUTNING/ FIXED CONNECTIONS	
<125A	>125A
CEE-OUTLETS 3-POLE	
16A	32A 63A 125A
SCHUKO OUTLETS	
16A	
6	
CEE-OUTLETS 4-POLE	
16A	32A 63A 125A
2	2 1
CEE-OUTLETS 5-POLE/400V	
16A	32A 63A 125A
JFBR/CORCBO	
0.01A	0.03A 0.1A
5	
JFBR/CORCBO	
0.3A	0.5A Variable
2	
VKT-WEIGHT	
56	kg
REVISOR	DATE
CG	191118
REVISOR	DATE
A*	EB14778

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

U 125 230//60221-502



REVISOR	DATE	REVISOR	DATE
CG	191118	CG	191118
REVISOR	DATE	REVISOR	DATE
A*	EB14778	A*	EB14778








kontrolleres. viser kontrollvindu på vern tægen rød; skal ansvarlig
for el. anlegg/elektriker umiddelbart kontaktes for utbedring.

**Sentral skal alltid være avlåst/sikres mot betjening
av uvedkommende og utilsiktet innkobling.**

KVALITETSKONTROLL

Montert av 1.73
Testet av v. D
Dato 12/14. 11










PRØVEPROTOKOLL ELEKTRO-SIKKERHETSTEST

Artikkelnummer	Artikkelnavn	Type	Dato	Klokken	Serienummer
EB51735	Z250A Målesentral	125HS 230//	2015-12-10	08:14:45	20150500008
Best av	Ordrenummer	Kommentar			



K	
ARTIKELNR/ ARTICLE NO.	
EB51735	
MARKSTRØM/ CURRENT RATING	
250	A
MEASURING EQUIPMENT	
CURR- TRAFØ- SPACE	ENERGY- METER- SPACE
1	1
FAST ANSLUTNING/ FIXED CONNECTIONS	
<125A	>125A
	1
SCHUKO OUTLETS 2-POLE/230V 16A	
CEE-OUTLETS 4-POLE/230V	
16A	32A 63A 125A
JFBRCCB	
0.03A	>0.03A & <0.3A
JFBRCCB	
1A	Variable
	1
VKT/WEIGHT	
	kg

